NASA/TM-2000-209891, Vol. 166



Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS)

Forrest G. Hall and Shelaine Curd, Editors

Volume 166 BOREAS TE-12 Leaf Gas Exchange Data

T.J. Arkebauer and L. Yang

National Aeronautics and Space Administration

Goddard Space Flight Center Greenbelt, Maryland 20771

The NASA STI Program Office ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- TECHNICAL PUBLICATION. Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- TECHNICAL MEMORANDUM. Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- CONTRACTOR REPORT. Scientific and technical findings by NASA-sponsored contractors and grantees.

- CONFERENCE PUBLICATION. Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- SPECIAL PUBLICATION. Scientific, technical, or historical information from NASA programs, projects, and mission, often concerned with subjects having substantial public interest.
- TECHNICAL TRANSLATION.
 English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at http://www.sti.nasa.gov/STI-homepage.html
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- Telephone the NASA Access Help Desk at (301) 621-0390
- Write to:
 NASA Access Help Desk
 NASA Center for AeroSpace Information
 7121 Standard Drive

Hanover, MD 21076-1320

NASA/TM-2000-209891, Vol. 166



Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS)

Forrest G. Hall and Shelaine Curd, Editors

Volume 166 BOREAS TE-12 Leaf Gas Exchange Data

Timothy J. Arkebauer and Litao Yang University of Nebraska-Lincoln

National Aeronautics and Space Administration

Goddard Space Flight Center Greenbelt, Maryland 20771

	Available from:	
NIAGA Conton for A G T C		Ni-diamater distribution of the control of the cont
NASA Center for AeroSpace Information		National Technical Information Service
7121 Standard Drive		5285 Port Royal Road
Hanover, MD 21076-1320		Springfield, VA 22161
Drice Code: A17		Del - C 1 - A 10
Price Code: A17		Price Code: A10

BOREAS TE-12 Leaf Gas Exchange Data

Timothy J. Arkebauer, Litao Yang

Summary

The BOREAS TE-12 team collected several data sets in support of its efforts to characterize and interpret information on the reflectance, transmittance, and gas exchange of boreal vegetation. This data set contains measurements of leaf gas exchange conducted in the SSA during the growing seasons of 1994 and 1995 using a portable gas exchange system. The data are stored in tabular ASCII files.

Table of Contents

- 1) Data Set Overview
- 2) Investigator(s)
- 3) Theory of Measurements
- 4) Equipment
- 5) Data Acquisition Methods
- 6) Observations
- 7) Data Description
- 8) Data Organization
- 9) Data Manipulations
- 10) Errors
- 11) Notes
- 12) Application of the Data Set
- 13) Future Modifications and Plans
- 14) Software
- 15) Data Access
- 16) Output Products and Availability
- 17) References
- 18) Glossary of Terms
- 19) List of Acronyms
- 20) Document Information

1. Data Set Overview

1.1 Data Set Identification

BOREAS TE-12 Leaf Gas Exchange Data

1.2 Data Set Introduction

Field studies of single leaf gas exchange properties of dominant vascular plant species were conducted at the BOReal Ecosystem-Atmosphere Study (BOREAS) Southern Study Area (SSA) in 1994 and 1995 using a portable gas exchange system.

1.3 Objective/Purpose

The purposes of the work were to:

- Quantify the response of leaf gas exchange properties (e.g., net CO₂ assimilation rate and stomatal conductance) to environmental conditions in the field.
- Determine diurnal and seasonal changes in leaf gas exchange properties.

1.4 Summary of Parameters

Each data record includes the date and time of measurements, leaf properties (species, leaf area, boundary layer conductance, leaf temperature, net CO₂ assimilation rate, stomatal conductance, internal CO₂ concentration), and environmental conditions (Photosynthetic Photon Flux Density (PPFD), air temperature, CO₂ concentration, relative humidity, air vapor pressure).

1.5 Discussion

The overall project goal was to investigate the interactions between single leaf (or shoot) gas exchange properties and leaf (or shoot) optical properties. Leaf-level gas exchange measurements were made in the field on the dominant broadleaf and coniferous woody plant species growing in the SSA. The primary focus was on Populus tremuloides (aspen) at the SSA Young Aspen (YA) site and Pinus banksiana (jack pine) at the SSA Young Jack Pine (YJP) site. Measurements were also obtained from Picea mariana (black spruce) at the SSA Old Black Spruce (OBS) site, old Populus tremuloides (old aspen) and Picea glauca (white spruce) at the SSA Mixed site (MIX), old aspen and Corylus cornuta Marsh (hazelnut) from the SSA Old Aspen (OA) site, and hazelnut and Populus balsamifera (balsam-poplar) from the SSA-YA site.

1.6 Related Data Sets

BOREAS TE-04 Gas Exchange Data from Boreal Tree Species

BOREAS TE-05 Leaf Gas Exchange Data

BOREAS TE-12 Leaf Optical Data for SSA Species

BOREAS TE-12 SSA Water Potential Data

BOREAS TE-12 SSA Shoot Geometry Data

2. Investigator(s)

2.1 Investigator(s) Name and Title

Dr. Timothy J. Arkebauer, Associate Professor

2.2 Title of Investigation

Radiation and Gas Exchange of Canopy Elements in a Boreal Forest

2.3 Contact Information

Contact 1:

Dr. Timothy J. Arkebauer Department of Agronomy 106 KCR Building University of Nebraska Lincoln, NE 68583-0817 USA (402) 472-2847

Contact 2:

Shelaine Curd Raytheon ITSS NASA GSFC Code 923 Greenbelt, MD 20771 (301) 286-2447 (301) 286-0239 (fax) shelaine.curd@gsfc.nasa.gov

Contact 3:

Andrea Papagno Raytheon ITSS NASA GSFC Code 923 Greenbelt, MD 20771 (301) 286-3134 (301) 286-0239 (fax) apapagno@pop900.gsfc.nasa.gov

3. Theory of Measurements

Gas exchange measurements were made using an LI-6200 $\rm CO_2$ Infrared Gas Analyzer (IRGA) system in the closed-circuit mode. The net $\rm CO_2$ assimilation rate is calculated via the change in $\rm CO_2$ concentration in the sample chamber with time. Stomatal conductance is calculated from the rate of change of water vapor concentration with time, the fraction of the total system flow through the desiccant, and the (previously determined) boundary layer conductance of the leaf. Further details can be found in the LI-6200 Technical Reference Manual (LI-COR, Inc., 1990).

Internal CO₂ concentrations of the leaves were calculated based on the measured net CO₂ assimilation rates and leaf conductances. Additional information on the theory related to leaf gas exchange measurements can be found in Ball (1987).

4. Equipment

4.1 Instrument Description

4.1.1 Collection Environment

All gas exchange measurements were made on intact plants in the field at the various SSA sites mentioned in Section 1.5.

4.1.2 Source/Platform

In most cases, measurements were made from the ground. At the SSA-OA, SSA-MIX, and SSA-OBS sites, measurements were made at the top of the Terrestrial Ecology (TE) scaffold towers.

4.1.3 Source/Platform Mission Objectives

Not applicable.

4.1.4 Key Variables

Leaf properties: net CO₂ assimilation rate, stomatal conductance, internal CO₂ concentration, leaf temperature. Environmental conditions: air temperature, air vapor pressure, incident PPFD, air CO₂ concentration.

4.1.5 Principles of Operation

Measurements were made with an LI-6200 Portable Photosynthesis System operated in the closed mode. Net CO₂ assimilation rate was determined from the time rate of change of CO₂ concentration in the sample chamber. Stomatal conductance was determined from the time rate of change of water vapor concentration in the chamber, in conjunction with the fraction of the system flow diverted through the desiccant and the (previously determined) leaf boundary layer conductance. CO₂ concentrations are measured with an IRGA. A pump circulates the air from the sample chamber, through the analyzer, and back into the sample chamber. Water vapor concentrations in the sample chamber are determined by a Vaisala humidity chip and a thermistor sensing the air temperature. Leaf temperatures are

determined by a thermocouple pair that measures the temperature difference between the air thermistor and a thermocouple appressed to the leaf. Additional information is found in the LI-COR LI-6200 Technical Reference Manual.

4.1.6 Sensor/Instrument Measurement Geometry

None.

4.1.7 Manufacturer of Instrument

LI-6200 CO2 Gas IRGA LI-COR, Inc. P.O. Box 4425 4421 Superior Street Lincoln, NE 68504 USA (402) 467-3576 (402) 467-2819 (fax)

4.2 Calibration

4.2.1 Specifications

The IRGAs, the humidity chips, the flow meters, and the quantum sensors were calibrated by the manufacturer prior to each field season. The zero and span of the LI-6200 CO₂ analyzer were calibrated against known standard gases in the field.

4.2.1.1 Tolerance

None.

4.2.2 Frequency of Calibration

Annual calibration of the IRGAs, the humidity chips, the flow meters, and the quantum sensors was done by the manufacturer. Daily calibration of the zero and span of the IRGAs was performed in the field. The CO₂ zero and the flow meter zero were checked and adjusted several times daily.

4.2.3 Other Calibration Information

Calibration gases for the IRGAs were obtained from Acklands, 1042 Quebec Ave., Saskatoon, Saskatchewan CANADA, S7K 1V5 (Primary supplier: Linde Gas, Alberta, CANADA). These gases were calibrated against gases of known concentration traceable to the National Oceanic and Atmospheric Administration (NOAA), Boulder, CO.

5. Data Acquisition Methods

Samples from the coniferous species (e.g., Pinus banksiana, Picea mariana) were excised immediately after gas exchange measurements for leaf area determination. Leaf areas (i.e., surface areas of the needles enclosed in the gas exchange cuvette) were determined at the Paddockwood School Laboratory in the evening following the daily field work.

A positive net CO_2 assimilation rate (e.g., photosynthesis) means that the net flux of CO_2 is into the leaf. A negative net CO_2 assimilation rate (e.g., respiration) indicates that the net flux of CO_2 is out of the leaf.

Measurements of leaves from the broadleaf species (Populus tremuloides, Populus balsamifera, and Corylus cornuta) were made by enclosing entire leaves, or portions thereof, inside the sample cuvette. Small shoots of the coniferous species (Pinus banksiana, Picea mariana, Picea glauca), consisting of a number of needles, were placed into the sample cuvette for gas exchange determination. The coniferous samples consisted of needles from one age class only. The other age class needles were either excluded from the cuvette or were clipped off from the branch.

The LI-6200 measurements were made with either a 0.25-liter or a 1-liter sample chamber. Most measurements were made under natural illumination (sunlight); however, a limited number of measurements were made with an incandescent light source in conjunction with a dichroic mirror. Leaves to be measured were placed in the sample chamber without altering their original orientation. The sample chamber was held with a tripod standing on the soil (or scaffold) surface. Light response curves were usually made by attenuating natural illumination with neutral density filters. Respiration rates were determined after enclosing leaves in an opaque film-changing bag.

Assimilation rate versus internal CO₂ concentration responses were determined using a transient technique. The net CO₂ assimilation rate and the internal CO₂ concentrations for these studies were corrected for chamber leaks, and an external fan was used to moderate chamber temperatures (for details see McDermitt et al., 1989).

Leaf areas for the broadleaf species were determined by tracing the leaf outline on ruled graph paper. Leaf areas for the coniferous species were determined by the volume displacement method. Shoots were submerged in a water-filled container (containing 3-5% detergent in order to wet all surfaces) and the volume of water they displaced was recorded. The displaced volume was proportional to the total surface area of the shoot (see below). All gas exchange values are expressed on half the total surface area of the sample (for the broadleaf species this is the area projected normal to the leaf surface).

6. Observations

6.1 Data Notes

None.

6.2 Field Notes

A limited set of field notes and observations is available by request from T.J. Arkebauer.

7. Data Description

7.1 Spatial Characteristics

7.1.1 Spatial Coverage

The measurement sites and associated North American Datum of 1983 (NAD83) coordinates are:

- SSA-YA canopy access tower, site id D0H4T, Lat/Long: 53.65601°N, 105.32314°W, Universal Transverse Mercator (UTM) Zone 13, N:5,945,298.9, E:478,644.1
- SSA-OA canopy access tower located 100 m up the path to the flux tower site, site id C3B7T, Lat/Long: 53.62889°N, 106.19779°W, UTM Zone 13, N:5,942,899.9 E:420,790.5
- SSA-OBS canopy access tower located at flux tower site, site id G8I4T, Lat/Long: 53.98717°N, 105.11779°W, UTM Zone 13, N:5,982,100.5E;492,276.5
- SSA-MIX canopy access tower, site id D9I1M, Lat/Long: 53.7254°N, 105.20643°W, UTM Zone 13, N:5,952,989.7, E:486,379.7
- SSA-YJP near flux tower site, site id F8L6T, Lat/Long: 53.87581°N, 104.64529°W, UTM Zone 13, N:5,969,762.5 E:523,320.2

7.1.2 Spatial Coverage Map

Not available.

7.1.3 Spatial Resolution

These data are point source measurements at the given locations.

7.1.4 Projection

Not applicable.

7.1.5 Grid Description

Not applicable.

7.2 Temporal Characteristics

7.2.1 Temporal Coverage

Measurements were made from 29-May-1994 through 08-Sep-1994 and from 01-Jul-1995 through 07-Aug-1995. For each species and each year, data are arranged chronologically in the data file.

7.2.2 Temporal Coverage Map

None given.

7.2.3 Temporal Resolution

Multiple measurements were made at the SSA-YA, SSA-OA, SSA-OBS, SSA-MIX, and SSA-YJP sites on several days per month from 29-May-1994 through 08-Sep-1994 and from 01-Jul-1995 through 07-Aug-1995.

7.3 Data Characteristics

7.3.1 Parameter/Variable

The parameters contained in the data files on the CD-ROM are:

Column Name _____ SITE_NAME SUB SITE DATE_OBS TIME OBS SPECIES SAMPLE_GROWTH_YEAR SAMPLE ID DOWN_PPFD LEAF TEMP AIR_TEMP_CHAMBER CO2 CONC CHAMBER AIR_FLOW_CHAMBER REL HUM CHAMBER VAPOR_PRESS_CHAMBER BOUND LAYER MOLAR CONDUCT H20 LEAF AREA PHOTOSYNTHETIC_RATE STOMATAL_MOLAR_CONDUCT_H2O INTERCELL_CO2_CONC CRTFCN CODE REVISION DATE

7.3.2 Variable Description/DefinitionThe descriptions of the parameters contained in the data files on the CD-ROM are:

Column Name	Description
SITE_NAME	The identifier assigned to the site by BOREAS, in the format SSS-TTT-CCCCC, where SSS identifies the portion of the study area: NSA, SSA, REG, TRN, and TTT identifies the cover type for the site, 999 if unknown, and CCCCC is the identifier for site, exactly what it means will vary with site type.
SUB_SITE	The identifier assigned to the sub-site by BOREAS, in the format GGGGG-IIIII, where GGGGG is the group associated with the sub-site instrument, e.g. HYD06 or STAFF, and IIIII is the identifier for sub-site, often this will refer to an instrument.
DATE OBS	The date on which the data were collected.
TIME OBS	The Greenwich Mean Time (GMT) when the data were
	collected.
SPECIES	Botanical (Latin) name of the species (Genus
	species).
SAMPLE_GROWTH_YEAR	The year in which the collected sample first
	grew.
SAMPLE_ID	The sample identifier used by data collectors
	(see documentation for a detailed description).
DOWN_PPFD	The downward photosynthetic photon flux density.
LEAF_TEMP	The leaf or shoot temperature
AIR_TEMP_CHAMBER	The temperature of the air in the chamber.
CO2_CONC_CHAMBER	The CO2 concentration in the chamber.
AIR_FLOW_CHAMBER	The total air flow rate through the system.
REL_HUM_CHAMBER	The relative humidity of the air in the chamber.
VAPOR_PRESS_CHAMBER	Vapor pressure of the air in the chamber.
BOUND_LAYER_MOLAR_CONDUCT_H2O	The boundary layer conductance for water vapor of
נהאה אסהא	the sample. The area of the leaf (or needles) englessed in the
LEAF_AREA	The area of the leaf (or needles) enclosed in the chamber, this value is always half the total
	surface area of the sample.
PHOTOSYNTHETIC RATE	Measured Net Photosynthesis
STOMATAL_MOLAR_CONDUCT_H2O	Stomatal conductance of water vapor.
INTERCELL_CO2_CONC	Intercellular CO2 concentration
CRTFCN_CODE	The BOREAS certification level of the data.
CRIT CN_CODE	Examples are CPI (Checked by PI), CGR (Certified
	by Group), PRE (Preliminary), and CPI-??? (CPI
	but questionable).
REVISION_DATE	The most recent date when the information in the
-	referenced data base table record was revised.

7.3.3 Unit of Measurement

The measurement units for the parameters contained in the data files on the CD-ROM are:

Column Name	Units
SITE NAME	[none]
SUB_SITE	[none]
DATE_OBS	[DD-MON-YY]
TIME_OBS	[HHMM GMT]
SPECIES	[none]
SAMPLE_GROWTH_YEAR	[unitless]
SAMPLE_ID	[none]
DOWN_PPFD	<pre>[micromoles][meter^-2][second^-1]</pre>
LEAF_TEMP	[degrees Celsius]
AIR_TEMP_CHAMBER	[degrees Celsius]
CO2_CONC_CHAMBER	[parts per million]
AIR_FLOW_CHAMBER	[micromoles][second ^-1]
REL_HUM_CHAMBER	[percent]
VAPOR_PRESS_CHAMBER	[millibars]
BOUND_LAYER_MOLAR_CONDUCT_H2O	[mole H20][meter^-2][second^-1]
LEAF_AREA	[millimeter^2]
PHOTOSYNTHETIC_RATE	[micromoles CO2][meter^-2][second^-1]
STOMATAL_MOLAR_CONDUCT_H2O	<pre>[millimoles H20][meter^-2][second^-1]</pre>
INTERCELL_CO2_CONC	[parts per million]
CRTFCN_CODE	[none]
REVISION_DATE	[DD-MON-YY]

7.3.4 Data Source

The sources of the parameter values contained in the data files on the CD-ROM are:

Column Name	Data Source
SITE_NAME	[BORIS Designation]
SUB_SITE	[BORIS Designation]
DATE_OBS	[Human Observer]
TIME_OBS	[Human Observer]
SPECIES	[Human Observer]
SAMPLE_GROWTH_YEAR	[Human Observer]
SAMPLE_ID	[Human Observer]
DOWN_PPFD	[Field Equipment]
LEAF_TEMP	[Thermometer]
AIR_TEMP_CHAMBER	[Laboratory Equipment]
CO2_CONC_CHAMBER	[Laboratory Equipment]
AIR_FLOW_CHAMBER	[Laboratory Equipment]
REL_HUM_CHAMBER	[Laboratory Equipment]
VAPOR_PRESS_CHAMBER	[Laboratory Equipment]
BOUND_LAYER_MOLAR_CONDUCT_H2O	[Laboratory Equipment]
LEAF_AREA	[Laboratory Equipment]
PHOTOSYNTHETIC_RATE	[Laboratory Equipment]
STOMATAL_MOLAR_CONDUCT_H2O	[Laboratory Equipment]
INTERCELL_CO2_CONC	[Laboratory Equipment]
CRTFCN_CODE	[BORIS Designation]
REVISION_DATE	[BORIS Designation]

7.3.5 Data Range

The following table gives information about the parameter values found in the data files on the CD-ROM.

Maximum

Missng Unrel Below Data

Minimum

	Minimum Data	Maximum Data	Data	Data	Detect	Data Not
Column Name	Value	Value	Value		Limit	
SITE_NAME		SSA-YJP-FLXTR		None	None	None
SUB_SITE	9TE12-LGS01	9TE12-LGS01	None	None	None	None
DATE_OBS	29-MAY-94	07-AUG-95	None	None	None	None
TIME_OBS	515	2010	None	None	None	None
SPECIES	N/A	N/A	None	None	None	None
SAMPLE_GROWTH_YEAR	1992	1995	None	None	None	None
SAMPLE_ID	1	9	None	None	None	None
DOWN_PPFD	-2.232	3998	None	None	None	None
LEAF_TEMP	3.846	42.62	None	None	None	None
AIR_TEMP_CHAMBER	3.8	41.47	None	None	None	Blank
CO2_CONC_CHAMBER	46.32	899.5	None	None	None	None
AIR_FLOW_CHAMBER		90.73	None	None	None	None
REL_HUM_CHAMBER	1.326	60.25	None	None	None	None
VAPOR_PRESS_CHAMBER		44.69	None	None	None	None
BOUND_LAYER_MOLAR_ CONDUCT_ H2O	1.4	9.99	None	None	None	None
LEAF_AREA	1.74	39.84	None	None	None	None
PHOTOSYNTHETIC_RATE	-39.59	31.53	None	None	None	None
STOMATAL_MOLAR_ CONDUCT_H2O	15	3.46	None	None	None	None
INTERCELL_CO2_CONC	-3983	7427	None	None	None	None
CRTFCN_CODE	CPI	CPI	None	None	None	None
REVISION_DATE					None	None
Minimum Data Value - Maximum Data Value - Missng Data Value -	The minimum v The maximum v The value tha indicate that parameter val	ralue found in tralue found in to the traindicates mist an attempt was ue, but the att	the column the column ssing dat s made to tempt was	nn. nn. a. This determ s unsucc	s is used nine the cessful.	
Unrel Data Value -	to indicate a parameter val	at indicates unrun attempt was mule, but the value, the analysis p	nade to d .ue was d	letermir leemed t	ne the	used
Below Detect Limit -	The value that instruments do indicate that parameter valuethat the para		rameter v s. This s made to alysis pe s below t	ralues k is used determ ersonnel	d to mine the determi	
Data Not Cllctd -	- This value in		attempt	was ma usuall		

Blank -- Indicates that blank spaces are used to denote that type of value.

measure that parameter.

indicates that BORIS combined several similar but not identical data sets into the same data base table

but this particular science team did not

```
N/A -- Indicates that the value is not applicable to the respective column.

None -- Indicates that no values of that sort were found in the column.
```

7.4 Sample Data Record

The following are wrapped versions of data recordS from a sample data file on the CD-ROM.

```
SITE_NAME, SUB_SITE, DATE_OBS, TIME_OBS, SPECIES, SAMPLE_GROWTH_YEAR, SAMPLE_ID, DOWN_PPFD, LEAF_TEMP, AIR_TEMP_CHAMBER, CO2_CONC_CHAMBER, AIR_FLOW_CHAMBER, REL_HUM_CHAMBER, VAPOR_PRESS_CHAMBER, BOUND_LAYER_MOLAR_CONDUCT_H2O, LEAF_AREA, PHOTOSYNTHETIC_RATE, STOMATAL_MOLAR_CONDUCT_H2O, INTERCELL_CO2_CONC, CRTFCN_CODE, REVISION_DATE
'SSA-90A-FLXTR','9TE12-LGS01',06-JUN-94,1228,'Populus tremuloides','1994','1', 1962.0,27.05,25.61,328.4,45.66,17.84,15.0,1.965,17.81,6.88,.11,216.7,'CPI', 24-NOV-97
'SSA-90A-FLXTR','9TE12-LGS01',06-JUN-94,1234,'Populus tremuloides','1994','2', 1110.0,25.77,24.65,357.3,41.77,18.05,12.96,1.965,14.0,10.89,.14,218.4,'CPI', 24-NOV-97
```

8. Data Organization

8.1 Data Granularity

The smallest unit of data tracked by the BOREAS Information System (BORIS) was the data collected at a given site on a given date.

8.2 Data Format(s)

The Compact Disk-Read-Only Memory (CD-ROM) files contain American Standard Code for Information Interchange (ASCII) numerical and character fields of varying length separated by commas. The character fields are enclosed with single apostrophe marks. There are no spaces between the fields.

Each data file on the CD-ROM has four header lines of Hyper-Text Markup Language (HTML) code at the top. When viewed with a Web browser, this code displays header information (data set title, location, date, acknowledgments, etc.) and a series of HTML links to associated data files and related data sets. Line 5 of each data file is a list of the column names, and line 6 and following lines contain the actual data.

9. Data Manipulations

9.1 Formulae

None.

9.1.1 Derivation Techniques and Algorithms

The total surface area of the conifer samples was calculated by:

$$SA = X(VNL)^{0.5}$$
 (1)

where: X is a shape factor.

V is the displaced volume.

N is the number of needles in the sample.

L is the average needle length.

L was determined for each sample using a subset of 10 needles. X was determined from a random sample of 35 needles. Values of X were 4.36 for Pinus banksiana and 4.00 for Picea mariana and P. glauca. Formulae for calculating the net CO₂ assimilation rates, stomatal conductances, and internal CO₂ concentrations are given in the LI-6200 Technical Reference Manual.

9.2 Data Processing Sequence

9.2.1 Processing Steps

None given.

9.2.2 Processing Changes

None given.

9.3 Calculations

None given.

9.3.1 Special Corrections/Adjustments

Not applicable.

9.3.2 Calculated Variables

Not applicable.

9.4 Graphs and Plots

Not applicable.

10. Errors

10.1 Sources of Error

Calibration drift: The flow meter zero and IRGA CO₂ zero exhibited occasional drifts. The zeros were set periodically throughout the day.

Dew/wetness: When leaves were wet, the stomatal conductance and internal CO₂ values may not be correct. Examples of spurious data include conductances less than zero and CO₂ concentrations in the thousands.

10.2 Quality Assessment

None given.

10.2.1 Data Validation by Source

None given.

10.2.2 Confidence Level/Accuracy Judgment

None given.

10.2.3 Measurement Error for Parameters

None given.

10.2.4 Additional Quality Assessments

None given.

10.2.5 Data Verification by Data Center

Data were examined for general consistency and clarity.

11. Notes

11.1 Limitations of the Data

None given.

11.2 Known Problems with the Data

Other than the few times measurements were made on moist leaves (as discussed above), there are no known problems with the data set.

11.3 Usage Guidance

The normal caveat of 'use at your own risk' applies. Correspondence with T.J. Arkebauer is encouraged when questions arise.

11.4 Other Relevant Information

Ms. Litao Yang was responsible for most of the day-to-day coordination of the field measurements. Mr. Runsheng Xu assisted with field data collection in 1994. Their assistance was greatly appreciated.

12. Application of the Data Set

These data can be used to study the gas exchange of boreal vegetation.

13. Future Modifications and Plans

None given.

14. Software

14.1 Software Description

None given.

14.2 Software Access

None given.

15. Data Access

The TE-12 leaf gas exchange data are available from the Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC).

15.1 Contact Information

For BOREAS data and documentation please contact:

ORNL DAAC User Services Oak Ridge National Laboratory P.O. Box 2008 MS-6407 Oak Ridge, TN 37831-6407

Phone: (423) 241-3952 Fax: (423) 574-4665

E-mail: ornldaac@ornl.gov or ornl@eos.nasa.gov

15.2 Data Center Identification

Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC) for Biogeochemical Dynamics http://www-eosdis.ornl.gov/.

15.3 Procedures for Obtaining Data

Users may obtain data directly through the ORNL DAAC online search and order system [http://www-eosdis.ornl.gov/] and the anonymous FTP site [ftp://www-eosdis.ornl.gov/data/] or by contacting User Services by electronic mail, telephone, fax, letter, or personal visit using the contact information in Section 15.1.

15.4 Data Center Status/Plans

The ORNL DAAC is the primary source for BOREAS field measurement, image, GIS, and hardcopy data products. The BOREAS CD-ROM and data referenced or listed in inventories on the CD-ROM are available from the ORNL DAAC.

16. Output Products and Availability

16.1 Tape Products

None.

16.2 Film Products

None.

16.3 Other Products

These data are available on the BOREAS CD-ROM series.

17. References

17.1 Platform/Sensor/Instrument/Data Processing Documentation

LI-6200 Technical Reference Manual, LI-COR, Inc., Lincoln, NE, USA, March 1990.

17.2 Journal Articles and Study Reports

Ball, J.T. 1987. Calculations related to gas exchange. In: Stomatal Function. E. Zeiger, G.D. Farquhar and I.R. Cowan (eds), Stanford University Press, Stanford, CA, pp. 446-475.

McDermitt, D.K., J.M. Norman, J.T. Davis, T.M. Ball, T.J. Arkebauer, J.M. Welles, and S.R. Roemer. 1989. CO₂ response curves can be measured with a field-portable closed-loop photosynthesis system. Ann. Sci. For. 46:416s-420s.

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. 2000. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM.

Sellers, P. and F. Hall. 1994. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1994-3.0, NASA BOREAS Report (EXPLAN 94).

Sellers, P. and F. Hall. 1996. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1996-2.0, NASA BOREAS Report (EXPLAN 96).

Sellers, P., F. Hall, and K.F. Huemmrich. 1996. Boreal Ecosystem-Atmosphere Study: 1994 Operations. NASA BOREAS Report (OPS DOC 94).

Sellers, P., F. Hall, and K.F. Huemmrich. 1997. Boreal Ecosystem-Atmosphere Study: 1996 Operations. NASA BOREAS Report (OPS DOC 96).

Sellers, P., F. Hall, H. Margolis, B. Kelly, D. Baldocchi, G. den Hartog, J. Cihlar, M.G. Ryan, B. Goodison, P. Crill, K.J. Ranson, D. Lettenmaier, and D.E. Wickland. 1995. The boreal ecosystem-atmosphere study (BOREAS): an overview and early results from the 1994 field year. Bulletin of the American Meteorological Society. 76(9):1549-1577.

Sellers, P.J., F.G. Hall, R.D. Kelly, A. Black, D. Baldocchi, J. Berry, M. Ryan, K.J. Ranson, P.M. Crill, D.P. Lettenmaier, H. Margolis, J. Cihlar, J. Newcomer, D. Fitzjarrald, P.G. Jarvis, S.T. Gower, D. Halliwell, D. Williams, B. Goodison, D.E. Wickland, and F.E. Guertin. 1997. BOREAS in 1997: Experiment Overview, Scientific Results and Future Directions. Journal of Geophysical Research 102(D24): 28,731-28,770.

17.3 Archive/DBMS Usage Documentation None.

18. Glossary of Terms

None.

19. List of Acronyms

ASCII - American Standard Code for Information Interchange

BOREAS - BOReal Ecosystem-Atmosphere Study

BORIS - BOREAS Information System
CD-ROM - Compact Disk-Read-Only Memory

 ${\rm CO_2}$ - carbon dioxide

DAAC - Distributed Active Archive Center

EOS - Earth Observing System

EOSDIS - EOS Data and Information System
GSFC - Goddard Space Flight Center
GIS - Geographic Information System
HTML - HyperText Markup Language

IRGA - Infrared Gas Analyzer

MIX - Mixed

NAD83 - North American Datum of 1983

NIR - Near Infrared Radiation

NOAA - National Oceanic and Atmospheric Administration

NSA - Northern Study Area

OA - Old Aspen

OBS - Old Black Spruce OJP - Old Jack Pine

ORNL - Oak Ridge National Laboratory
PANP - Prince Albert National Park

PAR - Photosynthetically Active Radiation PPFD - Photosynthetic Photon Flux Density

SSA - Southern Study Area

TE - Terrestrial Ecology
TF - Tower Flux site

URL - Uniform Resource Locator
UTM - Universal Transverse Mercator

YA - Young Aspen YJP - Young Jack Pine

20. Document Information

20.1 Documentation Revision Date

Written: 30-Jun-1997 Last Updated: 23-Jul-1999

20.2 Document Review Date(s)

BORIS Review: 15-Jul-1998 Science Review: 21-Jul-1998

20.3 Document ID

20.4 Citation

When using these data, please include the following acknowledgment as well as citations of relevant papers in Section 17.2:

T.J. Arkebauer and L. Yang at the Department of Agronomy of the University of Nebraska in Lincoln, NE. Please contact investigators listed in Section 2.3, Contact Information.

If using data from the BOREAS CD-ROM series, also reference the data as:

Arkebauer, T.J., "Radiation and Gas Exchange of Canopy Elements in a Boreal Forest." In Collected Data of The Boreal Ecosystem-Atmosphere Study. Eds. J. Newcomer, D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers. CD-ROM. NASA, 2000.

Also, cite the BOREAS CD-ROM set as:

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM. NASA, 2000.

20.5 Document Curator

20.6 Document URL

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Artipaton, VA 22202-4302, and to the Office of Management and Budget Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE October 2000	3. REPORT TYPE AND DATES COVERED Technical Memorandum		
	October 2000			
4. TITLE AND SUBTITLE		o Cto do (DODEAC)	5. FUNDING NUMBERS	
Technical Report Series on the Bo	•	e Study (BOREAS)		
BOREAS TE-12 Leaf Gas Ex	change Data		923	
6. AUTHOR(S)			RTOP: 923-462-33-01	
Timothy J. Arkebauer and Lit	tao Yang			
Forrest G. Hall and Shelaine	_			
7. PERFORMING ORGANIZATION NAMI	E(S) AND ADDRESS (ES)		8. PEFORMING ORGANIZATION REPORT NUMBER	
Goddard Space Flight Center			2000 02126 0	
Greenbelt, Maryland 20771			2000-03136-0	
9. SPONSORING / MONITORING AGE	ENCY NAME(S) AND ADDRESS	S (ES)	10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
National Agranguting and Spage	Administration		TM-2000-209891	
National Aeronautics and Space Washington, DC 20546-0001	Aummstration		Vol. 166	
washington, DC 20340-0001			VOI. 100	
11. SUPPLEMENTARY NOTES				
T.J. Arkebauer and L. Yang: U	University of Nebraska-L	Lincoln;		
S. Curd: Raytheon ITSS, NA	SA Goddard Space Fligh	t Center, Greenbel	t, Maryland	
12a. DISTRIBUTION / AVAILABILITY STA	ATEMENT		12b. DISTRIBUTION CODE	
Unclassified-Unlimited				
Subject Category: 43				
Report available from the NASA	A Center for AeroSpace Int	formation,		
7121 Standard Drive, Hanover,	MD 21076-1320. (301) 62	21-0390.		
13. ABSTRACT (Maximum 200 words)	. ,			
Internation (Maximum 200 Words)				

The BOREAS TE-12 team collected several data sets in support of its efforts to characterize and interpret information on the reflectance, transmittance, and gas exchange of boreal vegetation. This data set contains measurements of leaf gas exchange conducted in the SSA during the growing seasons of 1994 and 1995 using a portable gas exchange system. The data are stored in tabular ASCII files.

14. SUBJECT TERMS BOREAS, terrestrial ecology, boreal vegetation.			15. NUMBER OF PAGES 15 16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL